



SPECIFICATION

AF0409C Series 2-Ball Piston Pump

Ratio	9:1
Stroke	4" (10.2 cm)
Material Inlet	1-1/4" NPT(F)
Material Outlet	3/4" NPT(F)
Air Inlet (female)	1/2" NPT(F)
Air Inlet Pressure Range psi (bar)	0 - 150 (0 - 10.3)
Fluid Pressure Range psi (bar)	0 -1350 (0 - 93.1)
Max Cycles/Minute	60.0
Displacement/Cycle cu in (cm³)	11.0 (180.2)
Cycles/gal (L)	21 (5.5)
Flow @ 60 Cycles gpm (L/min)	2.9 (10.8)
Noise Level @ 60 psi dBA	89.2
Weight* lb (kg)	5 Gallon - 35 (15.9)55 Gallon - 45 (20.4)

Dimensions - 5-Gallon Unit

A* in (mm) 34.12 (866.55)

B in (mm) 17.78 (451.7)

C in (mm) 11(279.4)

Dimensions - 55-Gallon Unit

A* in (mm) 57.46 (1459.48)

B in (mm) 41.12 (1044.55)

C in (mm) 34.34 (872.34)

****For models without ball valve regulator subtract 2.08 in (52.83 mm)***

