

800 Orange Ave. Daytona Beach, FL 32114 tel: 386.248.0500 · toll free: 800.881.0320 fax: 386.248.3033 · www.millerleaman.com

September 1st - 2022 Price Increase

Dear Customer,

Miller-Leaman has continued to work diligently during this period of record inflation to manage the rising costs of raw materials and transportation services. These factors, combined with continued supply chain volatility, leave us with no choice but to adjust prices in order to maintain the quality of our products and service that you depend on. As the cost impact of these inflationary pressures recedes, our goal will be to adjust our prices accordingly. The attachments to this letter include updated LIST Price Schedules for the product lines listed below and they will take effect on September 1, 2022. As we have done in the past, we will work with you to accommodate any projects for which you have already submitted pricing. Miller-Leaman will also honor current pricing on any orders placed before September 1st that are scheduled to ship before year end.

- **Thompson Strainer**
- Thompson Strainer Instrumentation options (information about our NEW Pressure Differential Alarm and Automatic Timer Flush packages will be sent in a separate email)
- **Helix HD Series Disc Filter**
- Helix HS Series Screen Filter

Our continuing goal is to deliver the best filtration systems, quality products and customer service beyond what you expect.

Once again, we wish to take this opportunity to thank you for your business and we look forward to working with you.

Sincerely yours,

Larry Call

General Manager















THOMPSON STRAINER LIST PRICE SCHEDULE (US Dollars) For more

information, please call us at 1-800-881-0320 or visit www.millerleaman.com



effective 07/01/2022

| | | COM | IPLETE S | STRAI | NER | REPLACEMENT PARTS | | | | | | | |
|--------|-----------------|----------------------|---------------------------------------|--------------------------------|------------------------------|-------------------------------------|--------------------------------|---------------------------------|----------------------------|--------------------------|---|-------------------------|------------------------------|
| | Model Number | Inlet/Outlet Size | Connection Type (a) | Maximum Pressure (PSI) * | Design Flow Rate (GPM) | Strainer Complete with Screen | Replacement Screen (b) | Head/O-Ring Gasket (EPDM) | Filter Gasket (EPDM) | Disc Gasket (EPDM) | Gasket Kit (c) (EPDM) | Top Head | Lid Clamp or Fasteners |
| CID | MLS-02-XXX | 2" | NPT (standard) Grooved (optional) | 125 | 100 | \$1,175 | \$290 P/N: 2S-XXX | \$28 OR-02 | \$30 FG-02 | \$23 DG-02 | \$71 GK-02 | \$265 TH-02 | \$145 BC-02 |
| CLAMP | MLS-03-XXX | 3" | NPT (standard) Grooved (optional) | 125 | 200 | \$2,095 | \$490 P/N: 3S-XXX | \$30 OR-03-2 | \$40 FG-03 | \$25 DG-03 | \$84 GK-03-2 | \$335 TH-03 | \$170 BC-03 |
| BAND | MLS-04C-XXX | 4" | Flanged (standard) Grooved (optional) | 125 | 350 | \$3,165 | \$780 P/N: 4S-XXX | \$43 OR-04 | \$65 FG-04 | \$34 DG-04 | \$124 GK-04 \$124 GK-04-2 | \$475 TH-04C | \$240 BC-04 |
| | MLS-04B-XXX | 4" | Flanged (standard) Grooved (optional) | 150 | 350 | \$3,165 | \$780 P/N: 4S-XXX | \$65 HG-04 | \$65 FG-04 | \$34 DG-04 | \$147 GK-04B | \$475 TH-04B | \$38 FASTENERS-04 |
| | MLS-06-XXX | 6" | Flanged (standard) Grooved (optional) | 150 | 750 | \$4,800 | \$1,130 P/N: 6S-XXX | \$70 HG-06 | \$88 FG-06 | \$34 DG-06 | \$175 GK-06 | \$750 TH-06 | \$47 FASTENERS-06 |
| ED LID | MLS-08-XXX | 8" | Flanged (standard) Grooved (optional) | 150 | 1300 | \$8,150 | \$2,125 p/n: 8S-XXX | \$120 HG-08 | \$110 FG-08 | \$60 DG-08 | \$260 GK-08 | \$1,200 TH-08 | \$52 FASTENERS-08 |
| BOLTED | MLS-10-XXX | 10" | Flanged (standard) Grooved (optional) | 150 | 2000 | \$16,550 | \$3,030 P/N: 10S-XXX | \$135 HG-10 | \$125 FG-10 | \$60 DG-10 | \$290 GK-10 | \$3,750 TH-10 | \$76 FASTENERS-10 |
| | MLS-12-XXX | 12" | Flanged (standard) Grooved (optional) | 150 | 3000 | \$18,575 | \$3,030 P/N: 12S-XXX | \$135 HG-12 | \$125 FG-12 | \$60 DG-12 | \$290 GK-12 | \$3,750 TH-12 | \$76 FASTENERS-12 |
| | MLS-14-XXX | 14" | Flanged (standard) Grooved (optional) | 150 | 4000 | \$22,495 | \$3,030 P/N: 14S-XXX | \$135 HG-14 | \$125 FG-14 | \$60 DG-14 | \$290 GK-14 | \$3,750 TH-14 | \$76 FASTENERS-14 |

SCREEN OPTIONS: "XXX" (in p/n above) = MESH or PERFORATED SIZE of SCREEN

Price subject to Miller-Leaman's Terms and Conditions

Complete Strainer and Replacement Screen orders must specify mesh or perforated size of screen. See catalog for micron equivalent to mesh. Consult factory for assistance.

Screen Mesh Options: Standard - 16, 20, 30, 40, 50, 60, 80, 100, 120, 150, 200 Heavy-Duty Mesh - 24x110, 30x150, 40x200, 50x250 (Dutch-weave screens: heavier wire gauge, lower open area %)

Perforated Options: 1/4", 1/8", 1/16", 5/64

Notes

- (a) Please specify connection type upon ordering
- (b) Replacement Screen includes Filter Gasket (U-Gasket,bottom of screen) & Disc Gasket (top of screen)
- (c) Gasket Kit includes complete set for Strainer: (1) Head Gasket or O-Ring, (1) Filter Gasket, & (1) Disc Gasket

- All strainers are T304 Stainless Steel, Screen mesh is T316. Other materials and construction options available upon request.
- Prices shown for standard products only; custom configurations and/or features are available.
- · Custom features include:
 - o Alternate materials of construction (i.e. Type 316 stainless steel)
 - o Custom inlet/outlet orientations
 - Stainless steel manifolds are available for combining multiple strainers for higher flow rates, duplexing etc.
- o Stainless Steel Internals
- o High Temperature and High Pressure models o Thompson Pump Skids
- o Special mesh and perforated sizes o Thompson Spiral Jet Rinse Nozzles
- O Optional gasket compounds (i.e.VITON/BUNA) O Thompson Sanitary Construction

Table 1

Select proper O-Ring, Gasket Kit, and/or Top Head corresponding to serial number stamped on strainer outlet pipe/flange

o Special heavy-duty swing-bolt lid enclosures

| Strainer Model | Serial No. | Part Number | Serial No. | Part Number |
|----------------|------------|-----------------------|---------------|-----------------------------|
| MLS-2 | 0001-4999 | OR-02 / GK-02 / TH-02 | 5000 & higher | OR-02-2 / GK-02-2 / TH-02-2 |
| MLS-3 | 0001-1999 | OR-03 / GK-03 / TH-03 | 2000 & higher | OR-03-2 / GK-03-2 / TH-03-2 |
| MLS-4C | 0500-1999 | OR-04 / GK-04 | 2000 & higher | OR-04-2 / GK-04-2 |



MILLER-LEAMAN

800 Orange Ave. · Daytona Beach, FL 32114 tel: 386.248.0500 · toll free: 800.881.0320 fax: 386.248.3033 · www.millerleaman.com

Please consult factory for pricing information on custom options and features.

^{*} Optional Features and Manufacturing/Fabrication Notes:



INSTRUMENTATION PACKAGES AND OPTIONAL FEATURES LIST PRICE SCHEDULE (US Dollars)

For more information, please call us at 1-800-881-0320 or visit www.millerleaman.com

effective 07/01/2022

| | PART NUMBER | DESCRIPTION | ELECTRICAL | LIST PRICE |
|----|-----------------|---|---|------------|
| | PDA/ATF-MAX-150 | Pressure Differential Alarm & Automatic Timer Flush Package PDA Comes with mounting bracket to mount on strainer ATF threads on 1 1/2" Flush Port (For use on ALL <i>Thompson Strainer</i> standard model sizes) | Component: 24VDC Power Supply included: 110VAC / 24VDC | \$2,420 |
| | PDA2 | Pressure Differential Alarm Package PDA2 connects to strainer housing with mounting bracket (For use on ALL Thompson Strainer standard model sizes) | Component: 12VDC Power Supply included: 110VAC / 12VDC | \$1,270 |
| | ATF2-150 | Automatic Timer Flush Package ATF2 threads onto 1-1/2" NPT Flush Port (For use on ALL <i>Thompson Strainer</i> standard model sizes) | Component: 12VDC Power Supply included: 110VAC / 12VDC | \$1,295 |
| | ATFR-2000 | 110V / 12VDC Power Supply Used for PDA2 or ATF2-150 | 110VAC / 12VDC | \$55 |
| 15 | ATFR-2024 | 110V / 24VDC Power Supply Used for PDA/ATF-MAX | 110VAC / 24VDC | \$65 |
| | PG-1/4-150 | Pressure Gauges (0-150 PSI) Two (2) required per strainer (gauge ports included on Strainer housings) | N/A | \$35 |

Optional Packages and Features Include:

Price subject to Miller-Leaman's Terms and Conditions

- High Temperature PDA Package
- High Pressure PDA Package
 PDA with Dry Contacts
- Manual Flush Valve

- High Temperature ATF Package
- High Pressure ATF Package
- 1/4" Air Relief Valve
- ATF Valve Sizes (3/4", 1", 2", & 3")

Please consult factory for pricing information on optional packages and features



800 Orange Ave · Daytona Beach, FL 32114 P: 386.248.0500 · F: 386.248.3033





HD Series - HELIX Disc Filter Models

LIST PRICE SCHEDULE - Effective 07/01/2022

| Filter Model | 2" HELIX | 2" Super HELIX | 3" HELIX |
|---------------------|---------------------------|---------------------------|---------------------------|
| Maximum Flow Rate | 100 GPM | 100 GPM | 200 GPM |
| Inlet / Outlet Size | 2" NPT or 2" Victaulic | 2" NPT or 2" Victaulic | 3" NPT or 3" Victaulic |
| Flush Port | 3/4" FPT | 3/4" FPT | 3/4" FPT |

| Complete Filter | \$420 | \$525 | \$630 |
|---|--------------------------|--------------------------|--------------------------|
| NPT Connection Part Number VIC Connection Part Number | HD-2NA-*** HD-2NW-*** | HD-2SA-*** HD-2SW-*** | HD-3NA-*** HD-3NW-*** |
| Replacement Discs Only | \$105 | \$132 | \$132 |
| Part Number | HD-2DISC-*** | HD-3DISC-*** | HD-3DISC-*** |
| Replacement Disc Cartridge (Cartridge includes discs and frame) | \$265 | \$317 | \$317 |
| Part Number | HD-2CART-*** | HD-3CART-*** | HD-3CART-*** |
| Removable Filter Lid | \$105 | \$158 | \$158 |
| Part Number | H-2201 | H-2301 | H-2301 |
| Filter Body (Body includes inlet/outlet ports) | \$105 | \$105 | \$210 |
| NPT Connection Part Number VIC Connection Part Number | H-1201 H-1203 | H-1201 H-1203 | H-1301 H-1303 |

OPTIONAL EQUIPMENT

| Mounting Bracket (T304 Stainless Steel) | \$170 | \$170 | \$175 |
|---|---------|---------|---------|
| Part Number | MT-9102 | MT-9102 | MT-9103 |
| Pressure Gauge (Two (2) gauges required per filter) | \$35 | \$35 | \$35 |
| | | | |

^{***} How to Order: Using the part number shown above, add the disc micron size desired from the list below Example: HD-3NA-130 = 3" NPT inlet/outlet Helix Disc Filter with 130 micron discs

Price subject to Miller-Leaman's Terms and Conditions

Disc Options:

| Disc Micron Size* | <u>Mesh Equivalent</u> | Disc Color | |
|-------------------|------------------------|------------|--|
| 200 | ≈ 60 - 80 | Green | |
| 130 | ≈ 100 - 120 | Red | |
| 100 | ≈ 150 - 200 | Orange | |
| 50 | ≈ 250-300 | Blue | |

 * Other micron sizes available (5, 10, 20, & 400 micron). Please contact factory for more information.







HS Series - HELIX Screen Filter Models

LIST PRICE SCHEDULE - Effective 07/01/2022

| Filter Model | 2" HELIX | 2" Super HELIX | 3" HELIX |
|---------------------|---------------------------|---------------------------|---------------------------|
| Maximum Flow Rate | 100 GPM | 100 GPM | 200 GPM |
| Inlet / Outlet Size | 2" NPT or 2" Victaulic | 2" NPT or 2" Victaulic | 3" NPT or 3" Victaulic |
| Flush Port | 3/4" FPT | 3/4" FPT | 3/4" FPT |

| Complete Filter | \$725 | \$810 | \$850 |
|--|--------------------------|--------------------------|--------------------------|
| NPT Connection Part Number VIC Connection Part Number | HS-2NA-*** HS-2NW-*** | HS-2SA-*** HS-2SW-*** | HS-3NA-*** HS-3NW-*** |
| Replacement Screen Only | \$500 | \$540 | \$540 |
| Part Number | HS-2SCR-*** | HS-3SCR-*** | HS-3SCR-*** |
| Replacement Screen Cartridge (Cartridge includes screen and frame) | \$600 | \$635 | \$635 |
| Part Number | HS-2CART-*** | HS-3CART-*** | HS-3CART-*** |
| Removable Filter Lid | \$105 | \$158 | \$158 |
| Part Number | H-2201 | H-2301 | H-2301 |
| Filter Body (Body includes inlet/outlet ports) | \$105 | \$105 | \$210 |
| NPT Connection Part Number VIC Connection Part Number | H-1201 H-1203 | H-1201 H-1203 | H-1301 H-1303 |

OPTIONAL EQUIPMENT

| Mounting Bracket (T304 Stainless Steel) | \$170 | \$170 | \$175 |
|---|------------|------------|------------|
| Part Number | MT-9102 | MT-9102 | MT-9103 |
| Pressure Gauge (Two (2) gauges required per filter) | \$35 | \$35 | \$35 |
| Part Number | PG-1/4-150 | PG-1/4-150 | PG-1/4-150 |

Price subject to Miller-Leaman's Terms and Conditions

Standard Mesh Options: 16, 20, 30, 40, 50, 60, 80, 100, 120, 150, 200

Heavy Duty Mesh Options: 24x110 (≈ 120 mesh), 30x150 (≈ 150 mesh), 40x200 (≈ 200 mesh), 50x250 (≈ 250 mesh)

Perforated Only Options: 1/4", 1/8", 1/16", 5/64"





^{***} How to Order: Using the part number shown above, add the mesh size desired from the list below Example: HS-3NA-100 = 3" NPT inlet/outlet Helix Screen Filter with 100 mesh screen