




SPECIFICATION

FLEXIBILITY TO TAKE YOU FURTHER

Innovative pumps and advanced technology
for groundbreaking efficiency and economy

VOGELSANG – LEADING IN TECHNOLOGY




EP series

Rotary lobe pump for extreme conditions with high pressures

Type	Max. pressure	Max. flow rate*	Max. speed	Max. temperature	Max. free passage
	bar	m ³ /h	min ⁻¹	°C	mm
EP 136 - 70	18	60	800	200	40
EP 136 - 105	13	90	800	200	40
EP 136 - 140	10	120	800	200	40

* Maximum theoretical capacity. In practice, the capacity is normally lower, depending on pressure difference, medium viscosity and pump installation. We would be happy to configure the best rotary lobe pump for your application with the help of our computer-assisted sizing software.



VY series

Versatile and powerful

Type	Max. pressure	Max. flow rate*	Max. speed	Max. temperature
	bar	m³/h	min ⁻¹	°C
VY100 - 45Q	10	18	1000	200
VY100 - 64Q	9	25	1000	200
VY100 - 90Q	7	35	1000	200
VY100 - 128Q	4	50	1000	200
VY136 - 70Q	10	60	800	200
VY136 - 105Q	10	90	800	200
VY136 - 140Q	8	120	800	200

* Maximum theoretical capacity. In practice, the capacity is normally lower, depending on pressure difference, medium viscosity and pump installation. We would be happy to configure the best rotary lobe pump for your application with the help of our computer-assisted sizing software.

What we offer

We provide solutions in the following sectors:
AGRICULTURAL TECHNOLOGY, BIOGAS,
INDUSTRY, TRANSPORTATION, WASTEWATER



Our broad range of products and services

- Consulting and service
- Data management and control technology
- Disintegration technology
- Individually tailored solutions for special applications
- Pumps and pump systems
- Solid matter feeders
- Solids reduction, separators and mixers
- Spreading technology
- Supply, disposal and cleaning

Copyright 2024 Vogelsang GmbH & Co. KG

Product availability, appearance, technical specifications and details are subject to continuous development. All information presented here is therefore subject to change. In selected countries, Vogelsang®, BioCut®, BlackBird®, CC-Serie®, EnergyJet®, HiCone®, PreMix®, RotaCut®, XRipper®, XSplit® and XTill® are registered trademarks of Vogelsang GmbH & Co. KG, Essen (Oldenburg), Germany. All rights reserved, including the rights to all graphics and images.

Industry brochure_TD_EN_01207724_MET1111– Printed in Germany

Vogelsang GmbH & Co. KG
Holthoege 10 – 14 | 49632 Essen (Oldenburg) | Germany
Phone: +49 5434 83 - 0 | Fax: +49 5434 83 -10
germany@vogelsang.info

vogelsang.info

